

/ &  
 μ : 01/2016

μ μ  
 26/ 4-10-2012

	· μ.		- 1501- +
μ			
	1.000		-
\10.01.01	1.001	, μ	-
\10.01.02	1.002	, μ μ μ	-
\10.02	1.003	μ μ μ	-
\10.03	1.004	μ	-
\10.07.01	1.005	μ μ	-
\20.04.01	1.006	E μ μ μ μ	02-04-00-00
\20.05.01	1.007	E μ μ μ μ μ -	02-04-00-00
\20.10	1.008	μ , μ	02-07-02-00
\20.20	1.009	μ μ	-
\20.30	1.010	μ μ μ	-
\22.10.01	1.011	μ μ μ μ μ , μ	15-02-01-01
\22.15.01	1.012	μ μ μ μ μ , μ	15-02-01-01
\22.20.01	1.013		-
\22.20.02	1.014	, 50% μ	-
\22.21.01	1.015		-
\22.21.02	1.016	50% μ ,	-
\22.22.01	1.017	μ μ	-
\22.22.02	1.018	μ μ 50% ,	-
\22.23	1.019	μ	14-02-01-01
\22.30.02	1.020	0,05 m2 , 0,12 m2 μ μ ,	-
\22.31.01	1.021	μ , 0,10 m	-
\22.37.01	1.022	m μ μ , 0,10	-
\22.40.01	1.023	μ μ 0,15 m	-
\22.45	1.024	μ	-
\22.50	1.025		-
\22.53	1.026		-
\22.54	1.027	μ	14-02-01-01
\22.56	1.028	μ	15-02-02-02
\22.60	1.029		-
\22.65.01	1.030	μ μ	-
\22.65.02	1.031	μ μ μ	-
23.03	1.032	μ	01-03-00-00

	μ.		1501- +
μ			
\32.01.01	1.033	μ , μ , μ μ μ μ C8/10	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.01.02	1.034	μ , μ , μ μ μ μ C10/12	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.01.03	1.035	μ , μ , μ μ μ μ C12/15	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.01	1.036	μ , μ , μ μ μ C8/10 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.02	1.037	μ , μ , μ μ μ C10/12 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.03	1.038	μ , μ , μ μ μ C12/15 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.05.01	1.039	μ μ μ C8/10	-
\32.05.02	1.040	μ μ μ C10/12	-
\32.05.03	1.041	μ μ μ C12/15	-
\32.15	1.042	μ μ μ μ	-
\32.25.01	1.043	μ μ μ μ 30,00m3 μ C10/12	-
\32.25.02	1.044	μ μ μ μ 30,00m3 μ C12/15	-
35.04	1.045	μ 200 kg μ m3	-
\38.02	1.046	μ	01-04-00-00
\38.20.02	1.047	μ μ μ B500C.	01-02-01-00
50.01.01	1.048		-
\50.15.01	1.049	μ μ μ , μ 10 mm	-
52.43.02	1.050	( μ , μ , μ )	-
52.71.01	1.051	6,00 m μ , μ μ	-
52.71.02	1.052	12,00 m μ , μ μ 6,01	-
52.76.02	1.053	μ	-
52.79.02	1.054		-
52.80.02	1.055	μ μ μ 1,8 cm	-
\52.66.01	1.056	μ 6,00 m μ μ	-

	μ.		1501- +
<b>μ</b>			
\52.66.02	1.057	μ 6,01 12,00 m μ	-
\53.20.01	1.058	lamine	-
\54.46.03	1.059	μ μ μ	-
\54.46.04	1.060	μ μ μ	-
\54.46.05	1.061	μ - ,	-
61.11	1.062	μ , μ	-
61.12	1.063	μ μ	-
61.13	1.064	μ μ	-
61.22	1.065	- μ	-
61.23	1.066	(cour anglaises)	-
61.24	1.067	μ μ μ	08-07-01-03
61.27	1.068	m. μ μ μ 20.00	-
61.29	1.069	μ	-
61.30	1.070		-
61.31	1.071	μ	-
\61.05	1.072	160 mm	-
\61.22	1.073	μ	-
62.61.01	1.074	μ 30 min , μ , ,	-
\63.02.01	1.075	μ 0,70μ. 5%	-
\63.02.02	1.076	μ 0,40μ. 5%	-
64.01.01	1.077	μμ μ μ ,	-
64.10.01	1.078	μ μ , 1"	-
64.10.02	1.079	μ μ , 1 1/2 "	-
64.10.03	1.080	μ μ , 2"	-
64.26.03	1.081	μ μ , 2 "	-
64.31	1.082	μ μ 10x4 cm	-
64.41	1.083	μ μ μ "L" "T"	-
64.47	1.084	μ μ μ	-
64.48	1.085	μ μ μ μ	-
\64.16.01	1.086	μ μ , 1"	-
\64.16.02	1.087	μ μ , 1 1/2 "	-
\64.16.03	1.088	μ μ , 2"	-
65.17.06	1.089	μ ( μ μ μ μ , , μ	03-08-03-00
65.17.07	1.090	μ , μ μ μ μ , , μ	03-08-03-00
65.19	1.091	μ μ , μ	03-08-03-00
65.42	1.092	μ , , μ	03-08-03-00
71.21	1.093	μ - μ μ μ	03-03-01-00
71.22	1.094	μ μ μ μ	03-03-01-00
71.31	1.096	μ - μ μ μ μ	03-03-01-00
71.76.03	1.097	μ	-
72.31.01	1.098	μ μ μ , , 1,00 mm	03-05-02-01
72.31.02	1.099	μ μ μ , , 1,00 mm	03-05-02-01
72.60	1.100	μ μ	-

	μ.		1501- +
<b>μ</b>			
72.65	1.101	μ μ sandwich μ μ μ	03-05-02-01
72.70	1.102	μ	-
72.80	1.103	μ sandwich	-
\72.03	1.104	μ μ μ , μ , μ	03-05-01-00
\72.04	1.105	μ μ μ μ , μ ,	03-05-01-00
\72.11	1.106	μ μ μ	03-05-01-00
\72.17	1.107	μ μ μ μ	-
\72.44.01	1.108	μ μ μ μ μ μ μ d = 1,0 mm 1 mm,	-
\72.44.02	1.109	μ μ μ μ μ μ d = 1,0 mm μ 1 mm,	-
73.16.02	1.110	μ μ μ , 30 cm	-
73.76	1.111	μ μ μ μ μ μ	-
73.79	1.112	μ uPVC	-
73.96	1.113	μ (PVC)	03-07-06-02
73.97	1.114	μ	03-07-06-02
\73.26.01	1.115	μ μ , μ , 15x15 cm, μ	03-07-02-00
\73.26.03	1.116	μ , μ , 15x15 cm,	03-07-02-00
\73.33.03	1.117	μ μ , GROUP 4, 40x40 cm	03-07-02-00
\73.36.01	1.118	3,0 cm μ μ μ ,	-
\73.37.01	1.119	μ , μ μ μ μ μ - - 2,0 cm	-
\73.47	1.120	μ ( )	-
\73.98	1.121	μ μ	03-07-06-01
\73.99	1.122	μ μ	-
\73.97.1	1.123	PVC	-
\73.97.2	1.124	PVC 6cm	-
\73.97.3	1.125	4cm PVC	-
74.22	1.126	μ μ μ μ	-
74.23	1.127	μ μ	-
\74.30.06	1.128	6 10 μ μ μ μ , μ , 3 cm,	03-07-03-00
75.21.01	1.129	cm ( ) μ μ μ μ d = 2 cm, 20	03-07-03-00
75.21.03	1.130	20 cm ( ) μ μ μ μ , 2 cm	03-07-03-00
\75.01.01	1.131	2 cm μ (μ 11 - 30 cm) μ μ , μ ,	03-07-03-00
\75.11.01	1.132	( ) μ μ μ , 2 cm	03-07-03-00
76.27.01	1.133	μ μ 18 mm, ( - μ 5 mm, - 8 mm, 5 mm) ,	03-08-07-02
77.10	1.134	μ μ μ μ μ μ μ μ	03-10-01-00
77.15	1.135	μ μ μ μ	03-10-02-00
77.28	1.136	( ) μ μ (silane-siloxane) μ μ μ	03-10-03-00
77.54	1.137	μ μ μ μ	03-10-01-00
77.55	1.138	μ μ μ μ	03-10-03-00
77.66	1.139	μ μ μ μ μ μ μ ? 80 C	03-10-03-00

	μ.		1501- +
<b>μ</b>			
77.67.01	1.140	μ μ , μ 1"	03-10-03-00
77.67.02	1.141	μ μ , μ 1 1/4 2"	03-10-03-00
77.80.01	1.142	μ μ μ μ μ , μ μ ,	03-10-02-00
77.80.02	1.143	μ μ μ μ μ , μ μ ,	03-10-02-00
77.84.02	1.144	μ μ μ μ μ μ , μ μ	03-10-02-00
77.97	1.145	μ	-
77.102	1.146	μ μ , μ μ	-
\77.02.02	1.147	μ μ 5 - 15%	03-10-02-00
\77.17.01	1.148	μ μ μ μ , μ μ	03-10-02-00 03-10-05-00
\77.80.03	1.149	μ μ μ μ μ , μ μ	03-10-02-00
\77.81.02	1.150	μ μ μ μ μ μ μ μ μ μ μ	03-10-01-00 03-10-02-00
78.05.05	1.151	12,5 mm	-
78.05.10	1.152	12,5 mm	-
78.05.13	1.153	μ (78.05.01 78.05.12) μ μ 0.72 m2	-
78.10.02	1.154	μ 12,5 mm	-
78.30.01	1.155	15 μ 20 mm, μ , 600x600 mm 625x625 mm	03-07-10-01
78.30.03	1.156	12 μ 13 mm, μ , 600x600 mm μ μ	03-07-10-01
\78.30.01	1.157	15 μ 20 mm, μ , 600x600 mm 625x625 mm	03-07-10-01
79.04	1.158	μ μ μ	-
79.08	1.159	μ μ	-
79.09	1.160	μ	08-05-01-02
79.10	1.161	μ μ μ μ μ	-
79.11.01	1.162	μ μ μ μ μ , μ μ μ μ	03-06-01-01
79.11.03	1.163	μ μ μ μ μ μ μ μ μ 0,08 mm μ	03-06-01-01
\79.01	1.164	μ μ μ	-
\79.02	1.165	μ μ μ μ	-
\79.03	1.166	μ μ μ	-
\79.37	1.167	μ μ μ	08-05-02-05
\ 65.05.01	1.168	μ	-
\ 77.51.01	1.169	μ μ μ μ μ	-
\ 77.51.01.01	1.170	μ μ μ μ μ μ	-
\ 53.50.03	1.171	laminata 5 8 cm , 12 mm ,	-



	μ.		1501- +
<b>μ</b>			
\5.1.5	2.012	μ μ μ 1 1/2 , 2,65mm	04-20-01-02
\5.1.6	2.013	μ μ μ 2 , 2,65mm	04-20-01-02
\5.1.7	2.014	μ μ μ 2 1/2 , 2,65mm	04-20-01-02
\5.2.1	2.015	, μ 0,70m	04-20-01-02
\5.3.1	2.016	x μ 50 mm 100 mm	-
\5.3.2	2.017	x μ 50 mm 200 mm	-
\5.4.1	2.018	μ	-
\6.1.1	2.019	μ μ 1/2	04-20-01-02
\6.1.2	2.020	μ μ 3/4	04-20-01-02
\6.1.3	2.021	μ μ 1	04-20-01-02
\6.1.6	2.022	μ μ 2	04-20-01-02
\6.2.1	2.023	μ μ (St/tZn) μ	-
\7.1.1	2.024	18, 0,80mm	-
\7.1.2	2.025	22, 0,80mm	-
\8.1.1	2.026	μ μ μ , μ . 20 ,	-
\8.1.2	2.027	μ μ μ , μ . 25 ,	-
\8.1.3	2.028	μ μ μ , μ . 32 ,	-
\8.1.4	2.029	μ μ μ , μ . 40 ,	-
\8.1.5	2.030	μ μ μ , μ . 50 ,	-
\8.1.6	2.031	μ μ μ , μ . 63 ,	-
\8.2.1	2.032	μ , μ μ μ , μ μ 20	-
\8.2.2	2.033	μ , μ μ μ , μ μ 25	-
\8.2.3	2.034	μ , μ μ μ , μ μ 32	-
\8.2.4	2.035	μ , μ μ μ , μ μ 40	-
\8.2.5	2.036	μ , μ μ μ , μ μ 50	-
\8.2.6	2.037	μ , μ μ μ , μ μ 63	-
\8.3.1	2.038	PVC 32, 6atm ( EN 1329)	-
\8.3.2	2.039	PVC 40, 6atm ( EN 1329)	-
\8.3.3	2.040	PVC 50, 6atm ( EN 1329)	-
\8.3.4	2.041	PVC 75, 6atm ( EN 1329)	-
\8.3.5	2.042	PVC 100, 6atm ( EN 1329)	-
\8.3.6	2.043	PVC 125, 6atm ( EN 1329)	-
\8.4.1	2.044	μ μ μ PVC μ 75mm 100mm 20x20cm	-
\11.1.01	2.045	, PN6, μ DN15	-
\11.1.02	2.046	, PN6, μ DN20	-
\11.1.03	2.047	, PN6, μ DN25	-
\11.1.04	2.048	, PN6, μ DN32	-
\11.1.05	2.049	, PN6, μ DN40	-
\11.1.06	2.050	, PN6, μ DN50	-
\11.1.07	2.051	, PN6, μ DN65	-

	μ.		1501- +
<b>μ</b>			
\11.1.08	2.052	, PN6, μ DN80	-
\11.1.09	2.053	, PN6, μ DN100	-
\11.1.10	2.054	μ	-
\11.2.1	2.055	μ μ μ 1/2"	-
\11.2.2	2.056	μ μ μ 3/4"	-
\11.3.1	2.057	μ 3/4" 1 1/4"	-
\11.4.1	2.058	μ μ 0 10 atm	-
\11.5.1	2.059	μ μ μ μ 3/4"	-
\11.6.1	2.060	μ μ	-
\11.7.1	2.061	1"	-
\11.7.2	2.062	1 1/2"	-
\12.1.1	2.063	μ	-
\12.2.1	2.064	( ) μ 1/2	-
\13.1.1	2.065	μ (μ ) μ - , μ , μ 1/2", μ	-
\13.1.2	2.066	μ (μ ) μ - , μ , μ 1/2", μ	-
\13.2.1	2.067	4mm μ , 42 60cm	-
\14.1.1	2.068	( ) ,	-
\14.1.2	2.069	( ) ,	-
\14.1.3	2.070	( ) ,	-
\14.2.1	2.071	( ) ,	-
\14.3.1	2.072	μ WC	-
\15.1.1	2.073	,	-
\15.1.2	2.074	, μ	-
\15.2.1	2.075	, μ	-
\15.2.2	2.076	μ	-
\15.3.1	2.077	μ μ 1/2"	-
\17.1.1	2.078	40x50cm	-
\17.1.2	2.079	42x56cm	-
\17.1.3	2.080	46x64cm	-
\17.1.4	2.081	50x68cm	-
\17.3.1	2.082		-
\17.4.1	2.083	35 40 13cm, μ 50cm, μ 1,20m	-
\17.4.2	2.084	35 40 13cm, μ 50cm, 1,20m	-
\17.5.1	2.085	μ	-
\17.5.2	2.086		-
\18.1	2.087	μ μ μ	-
\21.1.1	2.088	0-5μ3/	-
\21.1.2	2.089	6-10μ3/	-
\21.1.3	2.090	11-16μ3/	-
\21.1.4	2.091	17-25μ3/	-
\21.2.1	2.092	μ -	-
\23.1.1	2.093	, μ μ μ , 50l	-
\23.1.2	2.094	, μ μ μ , 80l	-
\23.1.3	2.095	, μ μ μ 100l	-
\23.1.4	2.096	, μ μ μ 140l	-
\23.1.5	2.097	, μ μ μ 200l	-



	μ.		1501- +
<b>μ</b>			
\23.1.6	2.098	, μ μ μ 250l	-
\23.1.7	2.099	, μ μ μ 320l	-
\23.1.8	2.100	, μ μ μ 525l	-
\26.1.1	2.101	μ μ μ ( 22), PANEL, 600mm μ μ 2	-
\26.1.2	2.102	μ μ μ ( 22), PANEL, 900mm μ μ 2	-
\26.2.1	2.103	μ μ μ ( 33), PANEL, 600mm μ μ 3	-
\26.2.2	2.104	μ μ μ ( 33), PANEL, 900mm μ μ 3	-
\26.3.1	2.105	μ 5 μ μ	-
\26.3.2	2.106	5 μ μ	-
\28.1.1	2.107	- μ	-
\34.1	2.108	25mm, / μ μ μ μ μ	-
\34.2	2.109	25mm, / μ μ μ μ μ	-
\35.1.1	2.110		-
\35.2.1	2.111	8 mm AlMgSi	-
\40.1.01	2.112	μ μ μ 114, μ μ	-
\40.1.02	2.113	μ μ μ 88, μ μ	-
\40.1.03	2.114	μ μ μ 76, μ μ	-
\41.2.01	2.115	, μμ μ ( ) 750 Nt μ 16 mm	04-20-01-02
\41.2.02	2.116	, μμ μ ( ) 750 Nt μ 20 mm	04-20-01-02
\41.2.03	2.117	, μμ μ ( ) 750 Nt μ 25 mm	04-20-01-02
\41.2.04	2.118	, μμ μ ( ) 750 Nt μ 32 mm	04-20-01-02
\41.2.05	2.119	, μμ μ ( ) 750 Nt μ 40 mm	04-20-01-02
\41.2.06	2.120	, μμ μ ( ) 750 Nt μ 50 mm	04-20-01-02
\41.2.07	2.121	, μμ μ ( ) 750 Nt μ 63 mm	04-20-01-02
\41.3.01	2.122	, μμ μ ( ), 1250Nt μ 20 mm	04-20-01-02
\41.3.02	2.123	, μμ μ ( ) 1250Nt μ 40 mm	04-20-01-02
\41.4.01	2.124	80 80mm	-
\41.4.02	2.125	μ , μ 100 34mm	-
\41.4.03	2.126	μ , μ 25 25mm	-
45	2.127	μ , , μ 25mm <sup>2</sup>	-
\45.1	2.128	μ μ 16 mm <sup>2</sup>	-
\45.2.1	2.129	8 mm μ μ (St/eCu)	-
\45.2.2	2.130	μ μ μ	-
\45.3	2.131	μ 1,5m	-
\46.1	2.132	3 1,5mm <sup>2</sup>	-
\46.2	2.133	3 2,5mm <sup>2</sup>	-
\46.3	2.134	3 4mm <sup>2</sup>	-
\46.04	2.135	3 6mm <sup>2</sup>	-

	μ.		1501- +
<b>μ</b>			
\46.05	2.136	3 10mm2	-
\46.07	2.137	5 10mm2	-
\48.1.1	2.138	-2 (st) 2Y μ 0,6mm, 2 2 0,6 mm	-
\48.1.2	2.139	- μ UTP	-
\49.1.01	2.140	10 , 250 V, μ	-
\49.1.02	2.141	10 , 250 V, μ	-
\49.1.03	2.142	10 , 250 V, μ	-
\49.2.01	2.143	μ SCHUKO 16	-
\49.2.02	2.144	μ , 16 ,	-
\49.2.03	2.145	μ ,	-
\49.3.01	2.146	RJ45, .5e	-
\49.4	2.147	.	-
\49.5.1	2.148	μ μ μ μ μ	-
\49.5.2	2.149	.	-
\49.5.3	2.150	.	-
\52.1.01	2.151	24	-
\52.1.02	2.152	18 36	-
\52.1.03	2.153	μ 24	-
\52.1.04	2.154	μ 18 36	-
\52.1.05	2.155	, μ	-
\52.1.06	2.156		-
\52.1.07	2.157	μ μ	-
\52.1.08	2.158	μ 500 V	-
\52.1.09	2.159	μ μμ	-
\53.1.01	2.160	μ 25 /30mA	-
\53.1.02	2.161	μ 40 /30mA	-
\53.1.03	2.162	μ 63 /30mA	-
\53.2.01	2.163	24- μ	-
\53.2.02	2.164	7 μ μ	-
\53.3	2.165	μ	-
\53.4.01	2.166	μ , 16	-
\53.4.02	2.167	μ , 32	-
\53.4.03	2.168	μ , μ 16	-
\54.1	2.169	(μ ) EZ-SIEMENS 25 μ 16	-
\54.2	2.170	EZ-SIEMENS 63 μ 33	-
\54.3	2.171	SIEMENS μμ EZ-	-
\55.1	2.172	, , 25 -63 .	-
\103.3.1	2.173		-
\55.2	2.174	( ) 25	-
\55.3	2.175	40	-
\55.4	2.176	63-80	-
\55.5	2.177	100	-
\55.6	2.178	40 μ μ μμ	-
\55.7	2.179	μ μμ 25	-
\59.1.1	2.180	, μ μ 2X36W, μ	-

	μ.		1501- +
<b>μ</b>			
\59.1.3	2.181	μ μ , , 4X18W	-
\59.1.2	2.182	μ μ 2X36W, μ , μ ,	-
\59.1.4	2.183	μ μ , , 4X18W	-
\59.1.5	2.184	μ μ μ μ ,	-
\59.1.6	2.185	8W	-
\59.2.1	2.186	μ μ 18-36W.	-
\59.2.2	2.187	( ) μ μμ	-
\59.2.3	2.188	μ μ μ μμ μ 40 W	-
\62.1.1	2.189	Pb 12 V/9 Ah UPS.	-
\103.1.1	2.190	μ μ μ μ (JM) 100W	-
60.10.20.03	2.191	μ μ μ μ μ (NaHP), semi cut-off, 100 W, μ	05-07-02-00
60.10.20.04	2.192	μ μ μ μ μ (NaHP), semi cut-off, 100 W, μ	05-07-02-00
62.10.21.01	2.193	μμ , μμ μ	-
62.10.22.01	2.194	μ , μ	-
\39.1	2.195	μ μ μ 1,40m	-
\39.2	2.196	μ	-
\29.1	2.197	12m <sup>3</sup> μ μ 6mm 1° , μ	-
\32.1	2.198	μ μ μ inverter 1850 2300m <sup>3</sup> /h	-
\33.3	2.199	μ μ	-
\33.2	2.200	μ μ	-
\33.1	2.201	μ μ μ	-
05.1.2	2.202	3/4 in , , , PN 16 atm, μ μ	10-08-01-00

28/1/2016  
μ

28/1/2016

28/1/2016

μ . . & . .

μ

μ . . & / & .