

/ &
 μ : 02_2016

μ μ
 26/ 4-10-2012

	· μ.		· 1501- +
μ			
\10.01.01	1.001	, μ	-
\10.01.02	1.002	, μ μ μ	-
\10.02	1.003	μ μ μ	-
\10.03	1.004	μ	-
\10.07.01	1.005	μ μ	-
\20.04.01	1.006	E μ μ μ μ	02-04-00-00
\20.05.01	1.007	E μ μ μ μ -	02-04-00-00
\20.10	1.008	μ , μ	02-07-02-00
\20.20	1.009	μ μ	-
\20.30	1.010	μ μ μ	-
\22.10.01	1.011	μ μ μ μ μ , μ	15-02-01-01
\22.15.01	1.012	μ μ μ μ μ , μ	15-02-01-01
\22.20.01	1.013		-
\22.20.02	1.014	, 50% μ	-
\22.21.01	1.015		-
\22.21.02	1.016	50% μ ,	-
\22.22.01	1.017	μ μ	-
\22.22.02	1.018	μ μ , 50%	-
\22.23	1.019	μ	14-02-01-01
\22.30.02	1.020	0,05 m2 , 0,12 m2 μ μ ,	-
\22.31.01	1.021	μ , 0,10 m	-
\22.37.01	1.022	m μ μ , 0,10	-
\22.40.01	1.023	μ μ 0,15 m	-
\22.45	1.024	μ	-
\22.50	1.025		-
\22.53	1.026		-
\22.54	1.027	μ	14-02-01-01
\22.56	1.028	μ	15-02-02-02
\22.60	1.029		-
\22.65.01	1.030	μ μ	-
\22.65.02	1.031	μ μ μ	-
23.03	1.032	μ	01-03-00-00

	μ.		1501- +
μ			
\32.01.01	1.033	μ , μ , μ μ μ μ C8/10	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.01.02	1.034	μ , μ , μ μ μ μ C10/12	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.01.03	1.035	μ , μ , μ μ μ μ C12/15	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.01	1.036	μ , μ , μ μ μ C8/10 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.02	1.037	μ , μ , μ μ μ C10/12 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.03	1.038	μ , μ , μ μ μ C12/15 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.05.01	1.039	μ μ μ C8/10	-
\32.05.02	1.040	μ μ μ C10/12	-
\32.05.03	1.041	μ μ μ C12/15	-
\32.15	1.042	μ μ μ μ	-
\32.25.01	1.043	μ μ μ μ 30,00m3 μ C10/12	-
\32.25.02	1.044	μ μ μ μ 30,00m3 μ C12/15	-
35.04	1.045	μ 200 kg μ m3	-
\38.02	1.046	μ	01-04-00-00
\38.20.02	1.047	μ μ μ B500C.	01-02-01-00
50.01.01	1.048		-
\50.15.01	1.049	μ μ μ μ 10 mm	-
52.43.02	1.050	(μ , μ , μ)	-
52.71.01	1.051	6,00 m μ , μ μ	-
52.71.02	1.052	12,00 m μ , μ μ 6,01	-
52.76.02	1.053	μ	-
52.79.02	1.054		-
52.80.02	1.055	μ μ μ 1,8 cm	-
\52.66.01	1.056	μ 6,00 m μ μ	-

	μ.		1501- +
μ			
\52.66.02	1.057	μ 6,01 12,00 m μ	-
\53.20.01	1.058	lamine	-
\54.46.03	1.059	μ μ μ	-
\54.46.04	1.060	μ μ μ	-
\54.46.05	1.061	μ - ,	-
61.11	1.062	μ , μ	-
61.12	1.063	μ μ	-
61.13	1.064	μ μ	-
61.22	1.065	- μ	-
61.23	1.066	(cour anglaises)	-
61.24	1.067	μ μ μ	08-07-01-03
61.27	1.068	m. μ μ μ 20.00	-
61.29	1.069	μ	-
61.30	1.070		-
61.31	1.071	μ	-
\61.05	1.072	160 mm	-
\61.22	1.073	μ	-
62.61.01	1.074	μ 30 min , μ , ,	-
\63.02.01	1.075	μ 0,70μ. 5%	-
\63.02.02	1.076	μ 0,40μ. 5%	-
64.01.01	1.077	μ μ μ ,	-
64.10.01	1.078	μ μ , 1"	-
64.10.02	1.079	μ μ , 1 1/2 "	-
64.10.03	1.080	μ μ , 2"	-
64.26.03	1.081	μ μ , 2 "	-
64.31	1.082	μ μ 10x4 cm	-
64.41	1.083	μ μ μ "L" "T"	-
64.47	1.084	μ μ μ	-
64.48	1.085	μ μ μ μ	-
\64.16.01	1.086	μ μ , 1"	-
\64.16.02	1.087	μ μ , 1 1/2 "	-
\64.16.03	1.088	μ μ , 2"	-
65.17.06	1.089	μ (μ μ μ μ , , μ	03-08-03-00
65.17.07	1.090	μ , μ μ μ μ , , μ	03-08-03-00
65.19	1.091	μ μ , μ	03-08-03-00
65.42	1.092	μ , , μ	03-08-03-00
71.21	1.093	μ - μ μ μ	03-03-01-00
71.22	1.094	μ μ μ μ	03-03-01-00
71.31	1.095	μ - μ μ μ μ	03-03-01-00
71.76.03	1.096	μ	-
72.31.01	1.097	μ μ μ , , 1,00 mm	03-05-02-01
72.31.02	1.098	μ μ μ , , 1,00 mm	03-05-02-01
72.60	1.099	μ μ	-

	μ.		1501- +
μ			
72.65	1.100	μ μ sandwich μ μ μ	03-05-02-01
72.70	1.101	μ	-
72.80	1.102	μ sandwich	-
\72.03	1.103	μ μ μ , μ , μ	03-05-01-00
\72.04	1.104	μ μ μ μ , μ ,	03-05-01-00
\72.11	1.105	μ μ μ	03-05-01-00
\72.17	1.106	μ μ μ μ	-
\72.44.01	1.107	μ μ μ μ μ μ μ d = 1,0 mm 1 mm,	-
\72.44.02	1.108	μ μ μ μ μ μ μ d = 1,0 mm μ 1 mm,	-
73.16.02	1.109	μ μ , 30 cm	-
73.76	1.110	μ μ μ μ μ μ	-
73.79	1.111	μ uPVC	-
73.96	1.112	μ (PVC)	03-07-06-02
73.97	1.113	μ	03-07-06-02
\73.26.01	1.114	μ μ , μ , 15x15 cm, μ	03-07-02-00
\73.26.03	1.115	μ , μ , 15x15 cm,	03-07-02-00
\73.33.03	1.116	μ μ , GROUP 4, 40x40 cm	03-07-02-00
\73.36.01	1.117	3,0 cm μ μ μ ,	-
\73.37.01	1.118	μ , μ μ μ μ μ - - 2,0 cm	-
\73.47	1.119	μ ()	-
\73.98	1.120	μ μ	03-07-06-01
\73.99	1.121	μ μ	-
\73.97.1	1.122	PVC	-
\73.97.2	1.123	PVC 6cm	-
\73.97.3	1.124	4cm PVC	-
74.22	1.125	μ μ μ μ	-
74.23	1.126	μ μ	-
\74.30.06	1.127	6 10 μ μ μ μ , μ , 3 cm,	03-07-03-00
75.21.01	1.128	cm () μ μ μ μ d = 2 cm, 20	03-07-03-00
75.21.03	1.129	20 cm () μ μ μ μ , 2 cm	03-07-03-00
\75.01.01	1.130	2 cm μ (μ 11 - 30 cm) μ μ , μ ,	03-07-03-00
\75.11.01	1.131	() μ μ μ , 2 cm	03-07-03-00
76.27.01	1.132	μ μ 18 mm, (- μ 5 mm, - 8 mm, 5 mm) ,	03-08-07-02
77.10	1.133	μ μ μ μ μ μ μ μ	03-10-01-00
77.15	1.134	μ μ μ μ	03-10-02-00
77.28	1.135	() μ μ (silane-siloxane) μ μ μ	03-10-03-00
77.54	1.136	μ μ μ μ	03-10-01-00
77.55	1.137	μ μ μ μ	03-10-03-00
77.66	1.138	μ μ μ μ μ μ μ ? 80 C	03-10-03-00

	μ.		1501- +
μ			
77.67.01	1.139	μ μ , μ 1"	03-10-03-00
77.67.02	1.140	μ μ , μ 1 1/4 2"	03-10-03-00
77.80.01	1.141	μ μ μ μ μ , μ μ , -	03-10-02-00
77.80.02	1.142	μ μ μ μ μ , μ μ , -	03-10-02-00
77.84.02	1.143	μ μ - μ μ μ	03-10-02-00
77.97	1.144	μ	-
77.102	1.145	μ μ , μ μ	-
\77.02.02	1.146	μ μ 5 - 15%	03-10-02-00
\77.17.01	1.147	μ μ μ μ , μ	03-10-02-00 03-10-05-00
\77.80.03	1.148	μ μ μ μ μ , μ μ ,	03-10-02-00
\77.81.02	1.149	μ μ μ μ μ μ μ μ , μ μ μ	03-10-01-00 03-10-02-00
78.05.05	1.150	, , 12,5 mm	-
78.05.10	1.151	, , 12,5 mm	-
78.05.13	1.152	μ (78.05.01 78.05.12) μ μ 0.72 m2	-
78.10.02	1.153	μ , 12,5 mm	-
78.30.01	1.154	15 μ 20 mm, μ , 600x600 mm 625x625 mm	03-07-10-01
78.30.03	1.155	12 μ 13 mm, μ , 600x600 mm μ μ ,	03-07-10-01
\78.30.01	1.156	15 μ 20 mm, μ , 600x600 mm 625x625 mm	03-07-10-01
79.04	1.157	μ μ μ	-
79.08	1.158	μ μ	-
79.09	1.159	μ	08-05-01-02
79.10	1.160	μ μ μ μ μ	-
79.11.01	1.161	μ μ μ μ μ , μ μ μ μ	03-06-01-01
79.11.03	1.162	μ μ μ μ μ μ μ μ , 0,08 mm μ	03-06-01-01
\79.01	1.163	μ μ μ	-
\79.02	1.164	μ μ μ μ	-
\79.03	1.165	μ μ μ	-
\79.37	1.166	μ μ μ	08-05-02-05
\ 65.05.01	1.167	μ	-
\ 77.51.01	1.168	μ μ μ μ μ	-
\ 77.51.01.01	1.169	μ μ μ μ μ μ	-
\ 53.50.03	1.170	laminata 5 8 cm , 12 mm ,	-

		μ.				1501- +	
μ							
062.1	1.171		μ	μ	μ	-	
062.1.1	1.172				μ	μ	-
062.3	1.173			μ	μ	-	
03	1.174					05-03-11-01	
04	1.175					-	
06	1.176		μ			05-03-11-04	
07	1.177			0,05m		05-03-11-04	
08.1.2	1.178		μ μ	1	>2μ	μ μ μ	-
08.3	1.179		μ μ	,		, μ	-
10.10.01	1.180	1504-2	μ		μ	, / μ CO2,	-
10.10.02	1.181					μ μ μ	-
10.10.03	1.182	1/ 2	μ μ	μ μ	μ μ	μ μ μ μ	1/ 2 -
10.1.2	1.183		μ	,	μ		10-02-02-01
09.1	1.184			μ			10-02-02-01
10.1	1.185		-	μ	,	μ μ	10-02-02-01
10.2	1.186		-		μ	μ μ	10-02-02-01
08	1.187		μ				02-07-05-00
16.01	1.188		μ		μ μ	μ	-
16.02	1.189		μ		μ	,	-
71.62.02	1.190		μ μ				-
65.01.02	1.191		μ	μ μ	μ μ	μ μ	12 - 24 kg/m2
	1.200						-
05.1.3	2.001	in	,	,	, PN 16 atm,	μ μ	1
05.1.6	2.002	in	,	,	, PN 16 atm,	μ μ	2
16.13	2.003						08-06-08-03
16.30.01	2.004		μ		μ	μ μ	μ
16.40.01	2.005		μ		μ	μ μ	μ μ
16.45	2.006						-
6752	2.007		μ μ	,	μ	μ	μ μ
5.1.1	2.008		μ	μ	μ	1/2	,
5.1.2	2.009		μ	μ	μ	3/4	,
5.1.3	2.010		μ	μ	μ	1	,
5.1.4	2.011		μ	μ	μ	1 1/4	,

	μ.		1501- +
μ			
\5.1.4.1	2.012	μ μ 1 1/4"	-
\5.1.5	2.013	μ μ μ 1 1/2 , 2,65mm	04-20-01-02
\5.1.6	2.014	μ μ μ 2 , 2,65mm	04-20-01-02
\5.1.7	2.015	μ μ μ 2 1/2 , 2,65mm	04-20-01-02
\5.2.1	2.016	, μ 0,70m	04-20-01-02
\5.3.1	2.017	x μ 50 mm 100 mm	-
\5.3.2	2.018	x μ 50 mm 200 mm	-
\5.4.1	2.019	μ	-
\6.1.1	2.020	μ μ 1/2	04-20-01-02
\6.1.2	2.021	μ μ 3/4	04-20-01-02
\6.1.3	2.022	μ μ 1	04-20-01-02
\6.1.6	2.023	μ μ 2	04-20-01-02
\6.2.1	2.024	μ μ (St/tZn) μ	-
\7.1.1	2.025	18, 0,80mm	-
\7.1.2	2.026	22, 0,80mm	-
\8.1.1	2.027	μ μ μ , μ . 20 ,	-
\8.1.2	2.028	μ μ μ , μ . 25 ,	-
\8.1.3	2.029	μ μ μ , μ . 32 ,	-
\8.1.4	2.030	μ μ μ , μ . 40 ,	-
\8.1.5	2.031	μ μ μ , μ . 50 ,	-
\8.1.6	2.032	μ μ μ , μ . 63 ,	-
\8.2.1	2.033	μ , μ μ μ , μ μ . 20	-
\8.2.2	2.034	μ , μ μ μ , μ μ . 25	-
\8.2.3	2.035	μ , μ μ μ , μ μ . 32	-
\8.2.4	2.036	μ , μ μ μ , μ μ . 40	-
\8.2.5	2.037	μ , μ μ μ , μ μ . 50	-
\8.2.6	2.038	μ , μ μ μ , μ μ . 63	-
\8.3.1	2.039	PVC 32, 6atm (EN 1329)	-
\8.3.2	2.040	PVC 40, 6atm (EN 1329)	-
\8.3.3	2.041	PVC 50, 6atm (EN 1329)	-
\8.3.4	2.042	PVC 75, 6atm (EN 1329)	-
\8.3.5	2.043	PVC 100, 6atm (EN 1329)	-
\8.3.6	2.044	PVC 125, 6atm (EN 1329)	-
\8.4.1	2.045	μ μ μ PVC μ 75mm 100mm 20x20cm	-
\11.1.01	2.046	, PN6, μ DN15	-
\11.1.02	2.047	, PN6, μ DN20	-
\11.1.03	2.048	, PN6, μ DN25	-
\11.1.04	2.049	, PN6, μ DN32	-
\11.1.05	2.050	, PN6, μ DN40	-
\11.1.06	2.051	, PN6, μ DN50	-

	μ.		1501- +
μ			
\11.1.07	2.052	, PN6, μ DN65	-
\11.1.08	2.053	, PN6, μ DN80	-
\11.1.09	2.054	, PN6, μ DN100	-
\11.1.10	2.055	μ	-
\11.2.1	2.056	μ μ μ 1/2"	-
\11.2.2	2.057	μ μ μ 3/4"	-
\11.3.1	2.058	μ 3/4" 1 1/4"	-
\11.4.1	2.059	μ μ 0 10 atm	-
\11.5.1	2.060	μ μ μ μ μ 3/4"	-
\11.6.1	2.061	μ μ	-
\11.7.1	2.062	1"	-
\11.7.2	2.063	1 1/2"	-
\12.1.1	2.064	μ	-
\12.2.1	2.065	() μ 1/2	-
\13.1.1	2.066	μ (μ μ) μ - , μ , μ 1/2", μ	-
\13.1.2	2.067	μ (μ μ) μ - , μ , μ 1/2", μ	-
\13.2.1	2.068	4mm μ , 42 60cm	-
\14.1.1	2.069	() ,	-
\14.1.2	2.070	() ,	-
\14.1.3	2.071	() ,	-
\14.2.1	2.072	() ,	-
\14.3.1	2.073	μ WC	-
\15.1.1	2.074	,	-
\15.1.2	2.075	, μ	-
\15.2.1	2.076	, μ	-
\15.2.2	2.077	μ	-
\15.3.1	2.078	μ μ 1/2"	-
\17.1.1	2.079	40x50cm	-
\17.1.2	2.080	42x56cm	-
\17.1.3	2.081	46x64cm	-
\17.1.4	2.082	50x68cm	-
\17.3.1	2.083		-
\17.4.1	2.084	35 40 13cm, μ 50cm, μ 1,20m	-
\17.4.2	2.085	35 40 13cm, μ 50cm, 1,20m	-
\17.5.1	2.086	μ	-
\17.5.2	2.087		-
\18.1	2.088	μ μ μ	-
\21.1.1	2.089	0-5μ3/	-
\21.1.2	2.090	6-10μ3/	-
\21.1.3	2.091	11-16μ3/	-
\21.1.4	2.092	17-25μ3/	-
\21.2.1	2.093	μ -	-
\23.1.1	2.094	, μ μ μ , 50l	-
\23.1.2	2.095	, μ μ μ , 80l	-
\23.1.3	2.096	, μ μ μ 100l	-
\23.1.4	2.097	, μ μ μ 140l	-

	μ.		1501- +
μ			
\23.1.5	2.098	, μ μ μ 200l	-
\23.1.6	2.099	, μ μ μ 250l	-
\23.1.7	2.100	, μ μ μ 320l	-
\23.1.8	2.101	, μ μ μ 525l	-
\26.0	2.102	μ μ 3KW	-
\26.1.1	2.103	μ μ μ (22), PANEL, 600mm μ μ 2	-
\26.1.2	2.104	μ μ μ (22), PANEL, 900mm μ μ 2	-
\26.2.1	2.105	μ μ μ (33), PANEL, 600mm μ μ 3	-
\26.2.2	2.106	μ μ μ (33), PANEL, 900mm μ μ 3	-
\26.3.1	2.107	μ 5 μ μ	-
\26.3.2	2.108	5 μ μ	-
\28.1.1	2.109	- μ	-
\34.1	2.110	25mm, / μ μ μ μ μ	-
\34.2	2.111	25mm, / μ μ μ μ μ	-
\35.1.1	2.112		-
\35.2.1	2.113	8 mm AlMgSi	-
\40.1.01	2.114	μ μ μ 13mm 114, μ μ	-
\40.1.02	2.115	μ μ μ 13mm 88, μ μ	-
\40.1.03	2.116	μ μ μ 13mm 76, μ μ	-
\41.2.01	2.117	, μμ μ () 750 Nt μ 16 mm	04-20-01-02
\41.2.02	2.118	, μμ μ () 750 Nt μ 20 mm	04-20-01-02
\41.2.03	2.119	, μμ μ () 750 Nt μ 25 mm	04-20-01-02
\41.2.04	2.120	, μμ μ () 750 Nt μ 32 mm	04-20-01-02
\41.2.05	2.121	, μμ μ () 750 Nt μ 40 mm	04-20-01-02
\41.2.06	2.122	, μμ μ () 750 Nt μ 50 mm	04-20-01-02
\41.2.07	2.123	, μμ μ () 750 Nt μ 63 mm	04-20-01-02
\41.3.01	2.124	, μμ μ (), 1250Nt μ 20 mm	04-20-01-02
\41.3.02	2.125	, μμ μ () 1250Nt μ 40 mm	04-20-01-02
\41.4.01	2.126	80 80mm	-
\41.4.02	2.127	μ , μ 100 34mm	-
\41.4.03	2.128	μ , μ 25 25mm	-
45	2.129	μ , μ 25mm2	-
\45.1	2.130	μ μ 16 mm ²	-
\45.2.1	2.131	8 mm μ μ (St/eCu)	-
\45.2.2	2.132	μ μ μ	-
\45.3	2.133	μ 1,5m	-
\46.1	2.134	3 1,5mm ²	-
\46.2	2.135	3 2,5mm ²	-

	μ.		1501- +
μ			
\46.3	2.136	3 4mm2	-
\46.04	2.137	3 6mm2	-
\46.05	2.138	3 10mm2	-
\46.07	2.139	5 10mm2	-
\48.1.1	2.140	-2 (st) 2Y μ 0,6mm, 2 2 0,6 mm	-
\48.1.2	2.141	- μ UTP	-
\49.1.01	2.142	10 , 250 V, μ	-
\49.1.02	2.143	10 , 250 V, μ	-
\49.1.03	2.144	10 , 250 V, μ	-
\49.2.01	2.145	μ SCHUKO 16	-
\49.2.02	2.146	μ , 16 ,	-
\49.2.03	2.147	μ ,	-
\49.3.01	2.148	RJ45, . 5e	-
\49.4	2.149	.	-
\49.5.1	2.150	μ μ μ μ μ	-
\49.5.2	2.151	.	-
\49.5.3	2.152	.	-
\52.1.01	2.153	24	-
\52.1.02	2.154	18 36	-
\52.1.03	2.155	μ 24	-
\52.1.04	2.156	μ 18 36	-
\52.1.05	2.157	, μ	-
\52.1.06	2.158		-
\52.1.07	2.159	μ μ	-
\52.1.08	2.160	μ 500 V	-
\52.1.09	2.161	μ μμ	-
\53.1.01	2.162	μ 25 /30mA	-
\53.1.02	2.163	μ 40 /30mA	-
\53.1.03	2.164	μ 63 /30mA	-
\53.2.01	2.165	24- μ	-
\53.2.02	2.166	7 μ μ	-
\53.3	2.167	μ	-
\53.4.01	2.168	μ , 16	-
\53.4.02	2.169	μ , 32	-
\53.4.03	2.170	μ , μ 16	-
\54.1	2.171	(μ) EZ-SIEMENS 25 μ 16	-
\54.2	2.172	EZ-SIEMENS 63 μ 33	-
\54.3	2.173	SIEMENS μμ EZ-	-
\55.1	2.174	, , 25 -63 .	-
\103.3.1	2.175		-
\55.2	2.176	() 25	-
\55.3	2.177	40	-
\55.4	2.178	63-80	-
\55.5	2.179	100	-
\55.6	2.180	40 μ μ μμ	-
\55.7	2.181	μ μμ 25	-

	μ.		1501- +
μ			
\59.1.1	2.182	μ μ 2X36W,	-
\59.1.3	2.183	μ μ , , 4X18W	-
\59.1.2	2.184	μ μ μ 2X36W, μ , μ ,	-
\59.1.4	2.185	μ μ , , 4X18W	-
\59.1.5	2.186	μ μ μ μ ,	-
\59.1.6	2.187	8W	-
\59.2.1	2.188	μ μ 18-36W.	-
\59.2.2	2.189	() μ μμ	-
\59.2.3	2.190	μ μ μ μμ μ 40 W	-
\62.1.1	2.191	Pb 12 V/9 Ah UPS.	-
\103.1.1	2.192	μ μ μ μ (JM) 100W	-
60.10.20.03	2.193	μ μ μ μ μ (NaHP), semi cut-off, 100 W, μ	05-07-02-00
60.10.20.04	2.194	μ μ μ μ μ (NaHP), semi cut-off, 100 W, μ	05-07-02-00
62.10.21.01	2.195	μμ , μμ μ	-
62.10.22.01	2.196	μ , μ	-
\39.1	2.197	μ μ μ 1,40m	-
\39.2	2.198	μ	-
05.1.2	2.199	3/4 in , , , PN 16 atm, μ μ	10-08-01-00
05.1.1	2.200	1/2 in , , , PN 16 atm, μ μ	10-08-01-00
	2.201		-

28/1/2016
μ

28/1/2016

28/1/2016

μ. .& . .

μ

μ. . .& / & .