

/ & : 03\_2016

μ μ  
26/ 4-10-2012

	μ.		1501- +
μ			
	1.000		-
\10.01.01	1.001	, μ	-
\10.01.02	1.002	, μ μ μ	-
\10.02	1.003	μ μ μ	-
\10.03	1.004	μ	-
\10.07.01	1.005	μ μ	-
\20.04.01	1.006	E μ μ μ μ	02-04-00-00
\20.05.01	1.007	E μ μ μ μ -	02-04-00-00
\20.10	1.008	μ , μ	02-07-02-00
\20.20	1.009	μ μ	-
\20.30	1.010	μ μ μ	-
\22.10.01	1.011	μ μ μ μ μ , μ	15-02-01-01
\22.15.01	1.012	μ μ μ μ μ , μ	15-02-01-01
\22.20.01	1.013		-
\22.20.02	1.014	, 50% μ	-
\22.21.01	1.015		-
\22.21.02	1.016	50% μ ,	-
\22.22.01	1.017	μ μ	-
\22.22.02	1.018	μ μ , 50%	-
\22.23	1.019	μ	14-02-01-01
\22.30.02	1.020	0,05 m2 , 0,12 m2 μ μ ,	-
\22.31.01	1.021	μ , 0,10 m	-
\22.37.01	1.022	m μ μ , 0,10	-
\22.40.01	1.023	μ μ 0,15 m	-
\22.45	1.024	μ	-
\22.50	1.025		-
\22.53	1.026		-
\22.54	1.027	μ	14-02-01-01
\22.56	1.028	μ	15-02-02-02
\22.60	1.029		-
\22.65.01	1.030	μ μ	-
\22.65.02	1.031	μ μ μ	-
23.03	1.032	μ	01-03-00-00

	μ.		1501- +
μ			
\32.01.01	1.033	μ , μ , μ μ μ μ C8/10	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.01.02	1.034	μ , μ , μ μ μ μ C10/12	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.01.03	1.035	μ , μ , μ μ μ μ C12/15	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.01	1.036	μ , μ , μ μ μ C8/10 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.02	1.037	μ , μ , μ μ μ C10/12 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.02.03	1.038	μ , μ , μ μ μ C12/15 μ	01-01-01-00 01-01-02-00 01-01-03-00 01-01-04-00 01-01-05-00 01-01-07-00
\32.05.01	1.039	μ μ μ C8/10	-
\32.05.02	1.040	μ μ μ C10/12	-
\32.05.03	1.041	μ μ μ C12/15	-
\32.15	1.042	μ μ μ μ	-
\32.25.01	1.043	μ μ μ μ 30,00m3 μ C10/12	-
\32.25.02	1.044	μ μ μ μ 30,00m3 μ C12/15	-
35.04	1.045	μ 200 kg μ m3	-
\38.02	1.046	μ	01-04-00-00
\38.20.02	1.047	μ μ μ B500C.	01-02-01-00
50.01.01	1.048		-
\50.15.01	1.049	μ μ μ μ 10 mm	-
52.43.02	1.050	( μ , μ , μ )	-
52.71.01	1.051	6,00 m μ , μ μ	-
52.71.02	1.052	12,00 m μ , μ μ 6,01	-
52.76.02	1.053	μ	-
52.79.02	1.054		-
52.80.01	1.056	μ μ	-
52.86	1.057	, μ	-

	· μ.		· 1501- +
<b>μ</b>			
79.55	1.058	μ - μ μ μ 50 mm	03-06-02-02
61.05	1.059		-
52.80.02	1.060	μ μ μ 1,8 cm	-
\52.66.01	1.061	μ μ 6,00 m μ μ	-
\52.66.02	1.062	μ 6,01 12,00 m μ μ	-
\53.20.01	1.063	laminate	-
\54.46.03	1.064	μ μ μ	-
\54.46.04	1.065	μ μ μ	-
\54.46.05	1.066	μ - ,	-
61.11	1.067	μ , μ	-
61.12	1.068	μ μ	-
61.13	1.069	μ μ	-
61.22	1.070	- μ	-
61.23	1.071	(cour anglaises)	-
61.24	1.072	μ μ μ	08-07-01-03
61.27	1.073	m. μ μ μ 20.00	-
61.29	1.074	μ	-
61.30	1.075		-
61.31	1.076	μ	-
\61.05	1.077		-
\61.22	1.078	μ	-
62.61.01	1.079	μ 30 min , μ , ,	-
\63.02.01	1.080	μ 0,70μ. 5%	-
\63.02.02	1.081	μ 0,40μ. 5%	-
64.01.01	1.082	μ μ μ ,	-
64.10.01	1.083	μ μ , 1"	-
64.10.02	1.084	μ μ , 1 1/2 "	-
64.10.03	1.085	μ μ , 2"	-
64.26.03	1.086	μ μ , 2 "	-
64.31	1.087	μ μ 10x4 cm	-
64.41	1.088	μ μ μ "L" "T"	-
64.47	1.089	μ μ μ	-
64.48	1.090	μ μ μ μ	-
\64.16.01	1.091	μ μ , 1"	-
\64.16.02	1.092	μ μ , 1 1/2 "	-
\64.16.03	1.093	μ μ , 2"	-
65.17.06	1.094	μ ( μ μ μ μ , , μ	03-08-03-00
65.17.07	1.095	μ μ μ μ μ , , μ	03-08-03-00
65.19	1.096	μ μ , μ	03-08-03-00
65.42	1.097	μ , , μ	03-08-03-00
71.21	1.098	μ - μ μ μ	03-03-01-00
71.22	1.099	μ μ μ μ	03-03-01-00
71.31	1.100	μ - μ μ μ μ	03-03-01-00

	μ.		1501- +
<b>μ</b>			
71.76.03	1.101	μ	-
72.31.01	1.102	μ μ μ , , 1,00 mm	03-05-02-01
72.31.02	1.103	μ μ μ , , 1,00 mm	03-05-02-01
72.60	1.104	μ μ	-
72.65	1.105	μ μ sandwich μ μ μ	03-05-02-01
72.70	1.106	μ	-
72.80	1.107	μ sandwich	-
\72.03	1.108	μ μ μ , μ , μ	03-05-01-00
\72.04	1.109	μ μ μ μ , μ ,	03-05-01-00
\72.11	1.110	μ μ μ	03-05-01-00
\72.17	1.111	μ μ μ μ	-
\72.44.01	1.112	μ μ μ μ μ μ μ 1 mm, μ μ d = 1,0 mm	-
\72.44.02	1.113	μ μ μ μ μ μ μ 1 mm, μ μ d = 1,0 mm	-
73.16.02	1.114	μ μ , 30 cm	-
73.76	1.115	μ μ μ μ μ	-
73.79	1.116	μ uPVC	-
73.96	1.117	μ (PVC)	03-07-06-02
73.97	1.118	μ	03-07-06-02
\73.26.01	1.119	μ μ , μ , 15x15 cm, μ	03-07-02-00
\73.26.03	1.120	μ , 15x15 cm,	03-07-02-00
\73.33.03	1.121	μ μ , GROUP 4, 40x40 cm	03-07-02-00
\73.36.01	1.122	μ μ μ , 3,0 cm	-
\73.37.01	1.123	μ μ μ μ μ μ - - 2,0 cm	-
\73.47	1.124	μ ( )	-
\73.98	1.125	μ μ	03-07-06-01
\73.99	1.126	μ μ	-
\73.97.1	1.127	PVC	-
\73.97.2	1.128	PVC 6cm	-
\73.97.3	1.129	4cm PVC	-
74.22	1.130	μ μ μ μ	-
74.23	1.131	μ μ	-
\74.30.06	1.132	6 10 μ μ μ μ , μ , 3 cm,	03-07-03-00
75.21.01	1.133	cm ( ) μ μ μ μ d = 2 cm, 20	03-07-03-00
75.21.03	1.134	20 cm ( ) μ μ μ μ , 2 cm	03-07-03-00
\75.01.01	1.135	2 cm μ (μ 11 - 30 cm) μ μ , μ ,	03-07-03-00
\75.11.01	1.136	( ) μ μ μ , 2 cm	03-07-03-00
76.27.01	1.137	μ μ 18 mm, ( - μ 5 mm, - 8 mm, 5 mm) ,	03-08-07-02
77.10	1.138	μ μ μ μ μ μ μ μ	03-10-01-00
77.15	1.139	μ μ μ μ	03-10-02-00
77.28	1.140	( ) μ μ (silane-siloxane) μ μ μ	03-10-03-00







	μ.		1501- +
<b>μ</b>			
\8.3.6	2.044	PVC 125, 6atm ( EN 1329)	-
\8.4.1	2.045	μ PVC μ 20x20cm 75mm 100mm	-
\11.1.01	2.046	, PN6, μ DN15	-
\11.1.02	2.047	, PN6, μ DN20	-
\11.1.03	2.048	, PN6, μ DN25	-
\11.1.04	2.049	, PN6, μ DN32	-
\11.1.05	2.050	, PN6, μ DN40	-
\11.1.06	2.051	, PN6, μ DN50	-
\11.1.07	2.052	, PN6, μ DN65	-
\11.1.08	2.053	, PN6, μ DN80	-
\11.1.09	2.054	, PN6, μ DN100	-
\11.1.10	2.055	μ	-
\11.2.1	2.056	μ μ μ 1/2"	-
\11.2.2	2.057	μ μ μ 3/4"	-
\11.3.1	2.058	μ 3/4" 1 1/4"	-
\11.4.1	2.059	μ μ 0 10 atm	-
\11.5.1	2.060	μ μ μ μ μ 3/4"	-
\11.6.1	2.061	μ μ	-
\11.7.1	2.062	1"	-
\11.7.2	2.063	1 1/2"	-
\12.1.1	2.064	μ	-
\12.2.1	2.065	( ) μ 1/2	-
\13.1.1	2.066	μ (μ μ ) μ - , μ , μ 1/2", μ	-
\13.1.2	2.067	μ (μ μ ) μ - , μ , μ 1/2", μ	-
\13.2.1	2.068	4mm μ , 42 60cm	-
\14.1.1	2.069	( ) ,	-
\14.1.2	2.070	( ) ,	-
\14.1.3	2.071	( ) ,	-
\14.2.1	2.072	( ) ,	-
\14.3.1	2.073	μ WC	-
\15.1.1	2.074	,	-
\15.1.2	2.075	, μ	-
\15.2.1	2.076	, μ	-
\15.2.2	2.077	μ	-
\15.3.1	2.078	μ μ 1/2"	-
\17.1.1	2.079	40x50cm	-
\17.1.2	2.080	42x56cm	-
\17.1.3	2.081	46x64cm	-
\17.1.4	2.082	50x68cm	-
\17.3.1	2.083		-
\17.4.1	2.084	, 35 40 13cm, μ 50cm, μ 1,20m ,	-
\17.4.2	2.085	, 35 40 13cm, μ 50cm, 1,20m ,	-
\17.5.1	2.086	μ	-
\17.5.2	2.087		-
\18.1	2.088	μ μ μ	-
\21.1.1	2.089	0-5μ3/	-



	μ.		1501- +
<b>μ</b>			
\21.1.2	2.090	6-10μ3/	-
\21.1.3	2.091	11-16μ3/	-
\21.1.4	2.092	17-25μ3/	-
\21.2.1	2.093	μ -	-
\23.1.1	2.094	, μ μ μ , 50l	-
\23.1.2	2.095	, μ μ μ , 80l	-
\23.1.3	2.096	, μ μ μ 100l	-
\23.1.4	2.097	, μ μ μ 140l	-
\23.1.5	2.098	, μ μ μ 200l	-
\23.1.6	2.099	, μ μ μ 250l	-
\23.1.7	2.100	, μ μ μ 320l	-
\23.1.8	2.101	, μ μ μ 525l	-
\26.0	2.102	μ μ 3KW	-
\26.1.1	2.103	μ μ ( 22), PANEL, 600mm μ μ 2	-
\26.1.2	2.104	μ μ ( 22), PANEL, 900mm μ μ 2	-
\26.2.1	2.105	μ μ ( 33), PANEL, 600mm μ μ 3	-
\26.2.2	2.106	μ μ ( 33), PANEL, 900mm μ μ 3	-
\26.3.1	2.107	μ 5 μ μ	-
\26.3.2	2.108	5 μ μ	-
\28.1.1	2.109	- μ	-
\34.1	2.110	25mm, / μ μ μ μ μ	-
\34.2	2.111	25mm, / μ μ μ μ μ	-
\35.1.1	2.112		-
\35.2.1	2.113	8 mm AlMgSi	-
\40.1.01	2.114	μ μ 13mm μ 114, μ μ	-
\40.1.02	2.115	μ μ 13mm μ 88, μ μ	-
\40.1.03	2.116	μ μ 13mm μ 76, μ μ	-
\41.2.01	2.117	μ μ μ ( ) 750 Nt μ 16 mm	04-20-01-02
\41.2.02	2.118	μ μ μ ( ) 750 Nt μ 20 mm	04-20-01-02
\41.2.03	2.119	μ μ μ ( ) 750 Nt μ 25 mm	04-20-01-02
\41.2.04	2.120	μ μ μ ( ) 750 Nt μ 32 mm	04-20-01-02
\41.2.05	2.121	μ μ μ ( ) 750 Nt μ 40 mm	04-20-01-02
\41.2.06	2.122	μ μ μ ( ) 750 Nt μ 50 mm	04-20-01-02
\41.2.07	2.123	μ μ μ ( ) 750 Nt μ 63 mm	04-20-01-02
\41.3.01	2.124	μ μ μ ( ), 1250Nt μ 20 mm	04-20-01-02
\41.3.02	2.125	μ μ μ ( ) 1250Nt μ 40 mm	04-20-01-02
\41.4.01	2.126	80 80mm	-
\41.4.02	2.127	μ , μ 100 34mm	-

	μ.		1501- +
<b>μ</b>			
\41.4.03	2.128	μ , μ 25 25mm	-
45	2.129	μ , μ 25mm <sup>2</sup>	-
\45.1	2.130	μ μ 16 mm <sup>2</sup>	-
\45.2.1	2.131	8 mm μ μ (St/eCu)	-
\45.2.2	2.132	μ μ μ	-
\45.3	2.133	μ 1,5m	-
\46.1	2.134	3 1,5mm <sup>2</sup>	-
\46.2	2.135	3 2,5mm <sup>2</sup>	-
\46.3	2.136	3 4mm <sup>2</sup>	-
\46.04	2.137	3 6mm <sup>2</sup>	-
\46.05	2.138	3 10mm <sup>2</sup>	-
\46.07	2.139	5 10mm <sup>2</sup>	-
\48.1.1	2.140	-2 (st) 2Y μ 0,6mm, 2 2 0,6 mm	-
\48.1.2	2.141	- μ UTP	-
\49.1.01	2.142	10 , 250 V, μ	-
\49.1.02	2.143	10 , 250 V, μ	-
\49.1.03	2.144	10 , 250 V, μ	-
\49.2.01	2.145	μ SCHUKO 16	-
\49.2.02	2.146	μ , 16 ,	-
\49.2.03	2.147	μ ,	-
\49.3.01	2.148	RJ45, .5e	-
\49.4	2.149	.	-
\49.5.1	2.150	μ μ μ μ μ	-
\49.5.2	2.151	.	-
\49.5.3	2.152	.	-
\52.1.01	2.153	24	-
\52.1.02	2.154	18 36	-
\52.1.03	2.155	μ 24	-
\52.1.04	2.156	μ 18 36	-
\52.1.05	2.157	, μ	-
\52.1.06	2.158		-
\52.1.07	2.159	μ μ	-
\52.1.08	2.160	μ 500 V	-
\52.1.09	2.161	μ μμ	-
\53.1.01	2.162	μ 25 /30mA	-
\53.1.02	2.163	μ 40 /30mA	-
\53.1.03	2.164	μ 63 /30mA	-
\53.2.01	2.165	24- μ	-
\53.2.02	2.166	7 μ μ	-
\53.3	2.167	μ	-
\53.4.01	2.168	μ , 16	-
\53.4.02	2.169	μ , 32	-
\53.4.03	2.170	μ , μ 16	-
\54.1	2.171	(μ ) EZ-SIEMENS 25 μ 16	-
\54.2	2.172	EZ-SIEMENS 63 μ 33	-
\54.3	2.173	SIEMENS μμ EZ-	-

	μ.		1501- +
<b>μ</b>			
\55.1	2.174	, , 25 -63 .	-
\103.3.1	2.175		-
\55.2	2.176	( ) 25	-
\55.3	2.177	40	-
\55.4	2.178	63-80	-
\55.5	2.179	100	-
\55.6	2.180	40 μ μ μμ	-
\55.7	2.181	μ μμ 25	-
\59.1.1	2.182	μ μ 2X36W, μ	-
\59.1.3	2.183	μ μ , , 4X18W	-
\59.1.2	2.184	μ μ 2X36W, μ μ	-
\59.1.4	2.185	μ μ , , 4X18W	-
\59.1.5	2.186	μ μ μ μ	-
\59.1.6	2.187	8W	-
\59.2.1	2.188	μ μ 18-36W.	-
\59.2.2	2.189	( ) μ μμ	-
\59.2.3	2.190	μ μ μ μμ 40 W	-
\62.1.1	2.191	Pb 12 V/9 Ah UPS.	-
\103.1.1	2.192	μ μ μ μ (JM) 100W	-
60.10.20.03	2.193	μ (NaHP), μ semi cut-off, μ 100 W, μ	05-07-02-00
60.10.20.04	2.194	μ (NaHP), μ semi cut-off, μ 100 W, μ	05-07-02-00
62.10.21.01	2.195	μμ , μμ μ	-
62.10.22.01	2.196	μ , μ	-
\39.1	2.197	μ μ μ 1,40m	-
\39.2	2.198	μ	-
05.1.2	2.199	3/4 in , , , PN 16 atm, μ μ	10-08-01-00
05.1.1	2.200	1/2 in , , , PN 16 atm, μ μ	10-08-01-00

28/1/2016  
μ

28/1/2016

28/1/2016

μ . .& . .

μ

μ . .& / & .