

:

: 11/2020

μ μ -



: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501- +	(17/07-09-2016)	
μ					
02	1	- μ	02-02-01-00 *		02-02-01-00
01	2	5,00 m μ	02-04-00-00		
20.20	3	μ μ			
02.1	4	μ	05-03-03-00 *	μ	05-03-03-00
02.2	5	0,10 m (. . . -155)	05-03-03-00 *	μ	05-03-03-00
23. 2	6	μ μ (filler)			
20.10	7	μ , μ	02-07-02-00		
\20.30.01	8	μ			
\16.40. 1	9	μ μ			
32.01.03	10	μ , μ , μ μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.04	11	μ , μ , μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		

*

	μ.		1501- +	(17/07-09-2016)	
μ					
32.01.05	12	μ , μ μ , μ μ μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
38.02	13	μ	01-04-00-00		
38.03	14		01-04-00-00		
38.13	15	μ μ	01-05-00-00		
38.18	16	μ μ	01-05-00-00		
38.20.02	17	μ μ , B500C.	01-02-01-00 *	μ μ	01-02-01-00
38.20.03	18	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
79.21	19	μ μ (μ μ) 934-2			
\73.98. 01	20	μ () ,	03-07-06-01		
52	21	μ , . . .	05-02-02-00 *	- μ	05-02-02-00
49	22	μμ , μ	08-07-01-01		
\64.26.01. 1	23	μ			
\64.26.03. 1	24	μ			
\64.26.03. 2	25	μ μ μ			
\61.26.02. 1	26	-			
9.41.11	27	μ 13598-1 μ 800 mm, μ μ 13598-1, μ D 315 mm 1,00 m, D			
12.10.06	28	μ 41, DN 315 mm PVC-U μ PVC-U, SDR	08-06-02-02 *	-PVC	08-06-02-02

	μ.		1501-+	(17/07-09-2016)	
μ					
\61.05. 1	29	μ (μ)			

μ

μ

μ

μ μ